

CENTRAL INTELLIGENCE AGENCY

INFORMATION REPORT

This Document contains information affecting the National Defense of the United States, within the meaning of Title 18, Sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law. The reproduction of this form is prohibited.

S-E-C-R-E-T

25X1

COUNTRY	USSR (Georgian SSR)	REPORT		25X1
SUBJECT	Activities and Personalities at Sinop	DATE DISTR.	11 April 1955	
		NO. OF PAGES	11	
DATE OF INFO.		REQUIREMENT NO.	RD	25X1
PLACE ACQUIRED		REFERENCES		

This is UNEVALUATED Information

THE SOURCE EVALUATIONS IN THIS REPORT ARE DEFINITIVE.
THE APPRAISAL OF CONTENT IS TENTATIVE.
(FOR KEY SEE REVERSE)

25X1

 Comment

25X1

Because Soviet names in the attached report are not transliterated according to the B.G.N. system the following deviations should be noted:

Agozeri - Agudzera,
Andreiev - Andreyev,
Andreieva - Andreyeva,
Axianov - Aksyanov,
Aximovitsh - Aksimovich,
Beria - Beriya,
Emilianov - Yemelyanov,
Grigorian - Grigoryan,
Jelkin - Yelkin,
Kuibyshev - Kuybyshev,
Kusnezov - Kuznetsov,
Leipunski - Leypunskiy,
Oganesian - Oganesyan,
Pereversien - Pereverzin,
Saviniagin - Zavenyagin,
Sdanov - Zhdanov,
Shulesca - Shuleshko or possibly Shuleska,
Sveriev - Zverev, and
Timofeef - Timofeyev.

S-E-C-R-E-T

25X1

STATE	X	ARMY	#X	NAVY	X	AIR	#X	FBI		AEC					
-------	---	------	----	------	---	-----	----	-----	--	-----	--	--	--	--	--

(Note: Washington Distribution Indicated By "X"; Field Distribution By "#")

Page Denied

Next 9 Page(s) In Document Denied

25X1
ATTACHMENT


NW

CONFIDENTIAL

NORTH

NE

SKETCH MAP OF COPPER MINES
IN DZHEZKAZGAN



Approximate Scale
1 inch equals 5 Km.

KEY

- 1 ——— = BROAD-GAUGE R.R.
- 2 ——— = NARROW-GAUGE R.R.
- 3 ↑ = WATCH-TOWERS
- 4 ——— = ROADS

INSTRUCTIONS FOR USE OF SKETCH MAP GRID

1. This plotting grid has been devised to fill a need for a systematic method of producing accurate memory sketches. By the use of a "grid-compass" system such as this, greater accuracy of scale can be achieved, and a frame of reference will be available for presenting interview information in graphic form.
2. The chart is divided into inch grids, which in turn are subdivided into five spaces. The scale would normally be 1 inch equals whatever distance the compiler would decide when beginning the sketch. A standard ratio such as 1"=100 meters, 1"=1 mile, etc., would be preferred, although any unit of measure, in either the English or metric system, is applicable.
3. The key reference point for originating a memory sketch using this plotting grid may be at the intersection of the compass lines at the center, or at any other point clearly marked by the compiler. This would be any fixed location with which he is familiar (e.g., a prominent industrial installation, railway station, compiler's home, etc.). If the only precisely known location is beyond the limits of the sketch map, a note should be made of the distance and direction in which it lies. Should the compiler be familiar with several sections of a given town or area but not the complete town or area, he could sketch several charts with a key reference point for each.
4. The memory sketch may be drawn directly on the printed grid, or it may be drawn on a semi-transparent overlay using the grid merely for determining distance and direction.

SW

CONFIDENTIAL

SOUTH

SE

25X1

25X1